TO:

## HAR-OM 3514.14

**Chief Procurement Officer** 

## MAINTENANCE STATE PROCUREMENT OFFICE **EMERGENCY PROCUREMENT**

OAHU DISTRICT,

13 AUG -5 A10:26

STATE PROCUREMENT OFFICE STATE OF HAWA!!

Pursuant to HRS § 103D-307 and HAR chapter 3-122, Subchapter 10, the Department requests approval for the following:						
2. After-the-Fact:						
blic health, welfare or safety. was found in the sewer lift station wet well at oil/grease will be discharged into the City & s to be removed from the wet well before the grease into the City & County sewer system. This at Pier 38 that flow into this sewer pump station. RE for the public and their employees.						
5. Amount of Request: \$ 14,285.33						
plain why it is necessary. e into the sewer wet well syste and dispose of it's l regulations. The source of this illicit discharge is						
Explain what competition, as is practicable, was ractor to respond. Penco did not respond to our						

## MAINTENANCE

8. Identify the primary responsible staff person(s) conducting and managing this procurement. (Appropriate delegated procurement authority and completion of mandatory training required.)

\*Point of contact (Place asterisk after name of person to contact for additional information.)

<u>Name</u>	Division/Agency	Phone Number	E-mail Address
Jon Mckee	Harbors/Maintenance	832-3845	Jon.C.Mckee@Hawii.gov
Davis K. Yogi	Harbors	587-1928	davis .k.yogi@hawaii.gov

	Repartment Head Signa	ture		Date
	Ar.		164	2000
Chief Procurement Offi		Procurement (	Officer Use Only	
HAR section Express) and HCE certific file. When	al is contingent upon ver n 3-122-112, (i.e. vendor d award is required to be tate and awards posting processing payment to v ith the invoice for payment	r is required to be posted on the A are required to be rendor the depart	be compliant on the Hawards Reporting System documented in the	awaii Compliance tem. Copies of the procurement/contract
	nny questions, please conto@hawaii.gov.	ntact Stanton Ma	ato at 586-0566, or	
Approved	☐ Disapproved	☐ No Action		